


1/W CITYMAX AUDIO KIT WH./TFI



Reference: 6201

The classic range of CITYMAX audio kits is back again for **up to 24 apartments.**

- Indoors, the Citymax telephone (surface installation).
- Outdoors, the **City Classic door entry panel**, high quality and r

...

DESCRIPTION

The classic range of CITYMAX audio kits is back again for **up to 24 apartments.**

- Indoors, the Citymax telephone (surface installation).
- Outdoors, the **City Classic door entry panel**, high quality and resistance.

City Classic is the FERMAX original and avant-garde outdoor panel with a convexcurved profile. Gifted with a genuine urban character, it is the ideal range for audio installations for any type of building. Manufactured in a highly weather resistant anodised aluminum.

Citymax telephone represents the classic and versatile model from Fermax.

Manufactured in white ABS plastic with a texturised finish for easy cleaning as well as ultraviolet protection. Includes different attachment points to install on the wall.

EXTENSIONS

- Indoors: 2 additional Citymax telephones (ref. 80447), with no need of extra power supply.
- At the accesses: a 2nd access for the garage entrance or secondary door.

TECHNICAL SPECIFICATIONS

Includes

8300. 1/W CITY CLASSIC panel and flush box (ref.8948).

Panel S1: 130x128.

Flush box S1: 115x114x45. 80447. CITYMAX BASIC telephone. 4802. Power supply12Vac/1A-DIN4.

Weight: 1,4540506 kg

Size of product when packed: 9x27x19,5 cm



EAN 13: 8424299062013



Included products



BASIC CITYMAX TELEPHONE WHITE

Ref: 80447

Audio terminal. Installed in homes, enables communication with outdoor panel and door opening.





1/W CITY CLASSIC KIT PANEL

Ref: 8300

Installed in the accesses to the building, they enable communication with homes, door opening, guard unit call, etc.





P.S.U. DIN4 230VAC/12VAC-1A

Ref: 4802

Used to power the different equipment in a Fermax installation.

Constructed in selfextinguishing VO material. Includes a set of covers to protect the...

