


It's the
VIDEOPHONE

BASIC BUT ESSENTIAL

COMMAX, as a innovated company since 1968 in Smart home and Security industries throughout the world, provides customers with values of life and safety via leading technologies




CDV-43K



FINE COMMUNICATION

4.3" color videophone that applied vivid FINE VIEW technology and outstanding audio quality.



INTERCOMMUNICATION

Up to 2 monitors and interphones each are expandable per household, providing intercommunication function.



DOOR ENTRY

It creates a safer and more convenient living environment with Individual door release control function.



CAPACITIVE TOUCH BUTTON

Applied simple design via touch button type. It is enhanced convenience to use and recognition speed with High sensitive touch button.



**FINEVIEW VIDEOPHONE
CDV-43K**




FEATURES

- 4.3 inch TFT LED display
- Video talk and door lock release enable
- Support 2 monitors, 1 cameras and 2 Interphones
- PAL/NTSC convertible

SPECIFICATION

Power source	AC 100~240V, 50/60Hz
LCD size	4.3 Inch TFT LED Display
Mount type	Surface-mounted type
Wiring	4 Wires
Distance	Door camera : 28m(0.5Ø) / 50m(0.65Ø) Interphone : 28m(0.5Ø) / 50m(0.65Ø)
Dimension(mm)	157x167x28

WIRING DIAGRAM



**DOOR CAMERA
DRC-4L**



FEATURES

- Built-in illumination sensor
- Both indoor and outdoor use
- Surface-mounted type
- House call and talk

SPECIFICATION

Power source	DC 12V(FROM MONITOR)
Image sensor	Color C-Mos
Min. illumination	0.1Lux(up to 300mm)
Distance	28m(0.5Ø) / 50m (0.65Ø)
Dimension(mm)	100×143×35 124×190(Cover)