



3.5 HARD DRIVE DATA SHEET

## Smart. Safe. Secure. Optimised for Surveillance AI Applications

Seagate<sup>®</sup> SkyHawk<sup> $^{\text{TM}}$ </sup> AI is the world's first, purpose-built drive for artificial intelligence (AI)-enabled surveillance solutions.





## **Best-Fit Applications**

- Network video recorders (NVR)
- Al-enabled NVR systems
- Video-edge NVRs
- NVRs with advanced analytics

## Key Advantages

**ImagePerfect**<sup>™</sup> **Al firmware** for superior image integrity alongside additional Al workload support in always-on, Al-enabled surveillance systems.

**Custom designed to support an additional 16 AI streams** while simultaneously and flawlessly recording footage up to 64 HD cameras.

**Designed to handle heavy workloads** expected in always-on, Al-enabled surveillance systems. At 550 TB/year, SkyHawk Al is designed for more than 3× the workload of standard surveillance drives.

**Advanced vibration management** for superior and sustained performance in 16+bay NVR systems.

**Improved reliability** and reduced total cost of ownership with 2M hour MTBF and 5-year limited warranty.

**Unparalleled data protection** with a complimentary 2-year Rescue Data Recovery Services plan bundled with every SkyHawk Al drive, providing access to Seagate's secure labs with industry-leading data recovery success rates.





Specifications	10TB	8TB
Standard Model Numbers <sup>1</sup>	ST10000VE0004	ST8000VE0004
Interface	SATA 6 Gb/s	SATA 6 Gb/s
Features and Performance		
Drive Bays Supported	16+	16+
Al Streams	16	16
HD Cameras Supported	Up to 64	Up to 64
Max. Sustained Transfer Rate OD (MB/s)	214MB/s	214MB/s
Cache (MB)	256	256
Reliability/Data Integrity		
Tarnish Resistant	Yes	Yes
Load/Unload Cycles	300,000	300,000
Non-recoverable Read Errors per Bits Read, Max	1 per 10E15	1 per 10E15
Power-On Hours per Year (24×7)	8,760	8,760
Workload Rate Limit (WRL) <sup>2</sup>	550	550
MTBF	2,000,000 hr	2,000,000 hr
Warranty, Limited (years) <sup>3</sup>	5	5
Power Management		
Startup Current, Typical (12V, A)	1.8	1.8
Average Operating Power (W)	7.2 W	7.2 W
Idling Average (W)	4.9 W	4.9 W
Standby Mode/Sleep Mode, Typical (W)	1.2/1.2	1.2/1.2
Voltage Tolerance (5 V)	±5%	±5%
Voltage Tolerance (12 V)	±10%	±10%
Environmental/Temperature		
Operating (ambient, min °C)	5	5
Operating (drive case, max °C) <sup>4</sup>	70	70
Non-operating (ambient, min °C)	-40	-40
Physical		
Height (mm/in, max)	26.11 mm/1.028 in	26.11 mm/1.028 in
Width (mm/in, max)	101.85 mm/4.01 in	101.85 mm/4.01 in
Depth (mm/in, max)	146.99 mm/5.787 in	146.99 mm/5.787 in
Weight (lb/g)	650 g/1.433 lb	650 g/1.433 lb
Carton Unit Quantity	20	20
Cartons per Pallet / Cartons per Layer	40/8	40/8

<sup>1 16</sup> Al streams = 8 Al channels.

<sup>2</sup> SkyHawk Al surveillance drives are designed for always-on workloads of 550 TB/year. For higher transaction workloads, see Seagate's enterprise-class drive offerings.

<sup>3</sup> Extended warranty options available. Consult your distributor for details.

<sup>4</sup> Seagate does not recommend operating at sustained extreme temperatures. Operating at higher temperatures will reduce useful life of the product.



AMERICAS Seagate Technology LLC 10200 South De Anza Boulevard, Cupertino, California 95014, United States, 408-658-1000
ASIA/PACIFIC Seagate Singapore International Headquarters Pte. Ltd. 7000 Ang Mo Kio Avenue 5, Singapore 569877, 65-6485-3888
EUROPE, MIDDLE EAST AND AFRICA Seagate Technology SAS 16-18, rue du Dôme, 92100 Boulogne-Billancourt, France, 33 1-4186 10 00

© 2017 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. ImagePerfect, SkyHawk and the SkyHawk Al logo are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes; and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and disk capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS1960.1-1710GB October 2017