

**INFRARED ACCESS CONTROL****APPLICANT:**

- **DEPT. / FIRM :** POLITEC S.r.l.
- **ADDRESS:** Via Adda, 66/68 – 20040 Bellusco – (MI) Italy
Tel +39 039-6883019 Fax +39 039-6200471

MANUFACTURER:

- **DEPT. / FIRM :** POLITEC S.r.l.
- **COUNTRY** ITALY

REFERENCE STANDARDS : EN 50130-4 (1995) + A1 (1998) + A2 (2003)
EN 61000-6-3 (2007)
EN 60950-1:2006/A11:2009

TECHNICAL ANALYSIS

Prima Ricerca & Sviluppo, on the basis of:

- The difference between basic and derived models (see Table 2);

considers that the results of test and analysis performed on basic models, listed in Test Reports indicated in Table 1, can be extended to derived models.

Table 1: Relation between basic models and Test Report.

Basic model	Derived models description	Test Report for basic model
MANA-IR	SANDOR PLUS PARVIS MES	EMCTR_111365-0 SAFTR_111366-0


Table 2: Difference between basic and derived models as declared by manufacturer

Basic model	Derived models	Difference between basic and derived model
MANA-IR	SANDOR PLUS	Same electronic circuit; Different size Maximum height: 400cm WIDTH: 6,5 cm DEPTH: 6,5cm
	PARVIS MES	Same electronic circuit; Different size Maximum height: 300cm DIAMETER: 8cm

CONCLUSIONS


Taken into account test results, the difference between the models don't affect in anyway the conformity of the product to Standard prescription.

Compiled by:



Flaviano Monti

Approved by:



Giovanni Molteni