

VIVO LYNX BLACK MONITOR



Reference: 01641

Video door monitor in COLOUR. Capacitive 7" TFT TOUCH SCREEN.

Installed in homes, it allows the user to communicate with the outdoor panel, open the door, and see visitors via the built-in screen....

DESCRIPTION

Video door monitor in COLOUR. Capacitive 7" TFT TOUCH SCREEN.

Installed in homes, it allows the user to communicate with the outdoor panel, open the door, and see visitors via the built-in screen.

Ultra-thin hands-free monitor with glass surface.

VIVO / VIVO+ includes a capacitive touch-screen with a full range of multi-tasking functions and capacities, which allows for intuitive management.

The options will be shown on the touch screen in the form of graphic icons. These icons control the navigation of the monitor, and can be selected by pressing the screen.

This intuitive menu will allow the installer to programme the functions of the monitor according to the needs of the installation, and allow the user to access and customise the user settings, that is, the device's usage profile: brightness and contrast, ringtone type and volume, additional functions, activating and deactivating silent mode, etc.

Using **TCP-IP technology**, VIVO offers complete and effective control of communication, security and comfort.

Android operating system. Screen installation.

VIVO / VIVO+ offers each user a wide range of choices.

The monitor controls:

- **FRIENDS LIST MANAGEMENT.** Calls between homes if they are on the accepted list of friends.
- **BACKGROUND ADJUSTMENT.** There is a range of wallpaper colours to suit every environment.
- **ADJUSTMENTS TO CALL RING TONE.**
- **MENU SETTINGS.** Dragging the menu icons with their finger, each user can configure the settings according to their preferences.
- **PRIVACY AND RESTRICTIONS MANAGEMENT.** The installer and the user can easily add or remove restrictions to preserve data protection.
- **COMPATIBILITY WITH VARIOUS BRANDS OF HOME AUTOMATION SYSTEMS.**
- **CCTV CAMERAS.** Video playback.
- **INTERACTION WITH THE LIFTS.**

Lynx is **the most advanced technical system** for communication, security and comfort management in residential complexes.

Lynx has transformed the world by establishing new standards in the processing capacity and performance of video door equipment.

Lynx is **much more than a simple TCP/IP** as it provides the best solutions for system integrators and the apartment residents. It merges the most advanced technology, design and product engineering with their present and future needs:

1. **Communication.** It connects the interior and the exterior of the apartment, enabling an interactive community for the residents, thereby guaranteeing their privacy.
2. **Security.** It maintains a permanent, reliable and simple connection with the building's service personnel, ensuring the protection and security of each family.
3. **Comfort.** It grants freedom to the system integrator to select and configure the system and its automation in accordance with the specific needs of each resident.

Easy and simple installation with maximum robustness:

- Power over Ethernet (PoE) simplifies installation.
- Lynx can be installed on already existing local area networks, use structural cable systems (SCS) and standard network equipment.
- The point-to-point SIP architecture permits the independent operation of each device without the need for a central server.
- Thanks to the configuration by means of an SD card, installation becomes a simple process.

Unlimited technical capacity:

- A virtually unlimited number of monitors can be managed on one single Lynx installation.
- Unlimited distances between one point to another.
- Unlimited channels for conversations and data transmission.

The Lynx system marks the differences compared to the most advanced systems.

TECHNICAL SPECIFICATIONS

7" TFT Screen

Resolution: 800 (H) x 480 (V) lines

Dimensions:

7" VIVO Monitor: 230 x 162 x 20 (width x height x depth).

10" VIVO+ Monitor: 263 x 175 x 20 (width x height x depth).

Designed in various colours: White, Silver, Black.

-Ref. 1620 7" VIVO Monitor WHITE.

-Ref. 1640 7" VIVO Monitor SILVER.

-Ref. 1641 7" VIVO Monitor BLACK.

-Ref. 9460 10" VIVO+ Monitor WHITE.

-Ref. 9462 10" VIVO+ Monitor SILVER.

-Ref. 9461 10" VIVO+ Monitor BLACK.

Lynx amplifier power supply: 12V DC.

Vivo monitors power supply: 12V DC or PoE 802.3af standard

Door release button included.

The options will be shown on the touch screen in the form of graphic icons. The number of icons may vary according to the functions enabled in each specific installation. A maximum of 8 icons can be shown per screen. They can be selected by pressing the screen.

• **Hands-free communication** (default setting). 'Push to Talk' audio mode available.

• Calls to and from:

- Lynx outdoor panels

- Central Residential Management

- Other monitors within the home

- Other installation monitors included in the friends list

The information and icons that appear on the conversation screen vary according to the terminal from which the call is being made or received, and the function being applied.

• Messages: sent from and received at the Central Residential Management (guard unit), as well as other monitors on the friends list.

• Images are captured and stored on the outdoor panel or the Central Residential Management (guard unit).

• Panic call to the Central Residential Management via the activation of a sensor or additional buttons in other parts of the house.

• Audio notes. Record and store audio messages.

• Do not disturb. Calls can be set to silent mode for specific or unlimited periods of time.

• Timer. As well as an alarm, the monitor acts as a time management device.

• Volume control.

• Colour, brightness and contrast control.

- Selection of ringtones.
- Auto-start.
- Audio cancellation from the monitor (MUTE option).
- **Automated functions.** Communication between the monitor and the home automation bus. The monitor is the ideal integration platform, using specific applications for each brand or home automation system.
- Doorbell: for direct connection from the home's call button to the monitor.
- Playback of videos captured on the IP cameras connected to the installation.
- Interaction with the lifts for the convenience and safety of the residents.

Consumption

- On standby: 310 mA
 - Maximum: 700 mA
- VIVO+ (PLUS) Monitor:
- On standby: 310 mA
 - Maximum: 850 mA

Weight: 0,7131 kg

Size of product when packed: 5,5x20,6x25,3 cm

EAN 13: 8424299016412
